

## Tris-Glycine SDS Running Buffer 10×

Cat#: 8015021/8015023/801502X

### [Product Name]

Tris-Glycine SDS Running Buffer 10×

### [Model & Size]

Product Name	Cat No.	Size
Tris-Glycine SDS Running Buffer 10×	8015021	500 mL
	8015023	5 L
	801502X	500 mL×5

### [Product Description]

Tris-Glycine SDS Running Buffer (10×) is an electrophoresis buffer reagent used in denaturing protein polyacrylamide gel electrophoresis experiments (SDS-PAGE). This product is prepared using conventional methods and is 10 × concentrated solution, easy to store and operate.

### [Component Concentration]

0.25M Tris, 1.92 M Glycine, 1% (W/V)SDS, pH 8.5.

### [Storage And Transportation]

Store at 2°C~8°C, valid for 12 months.

Transported on room temperature.









### [Operating Instruction]

This product is a 10× concentrated solution. Dilute it to 1× working concentration before use: take 100 mL of Tris-Glycine SDS Running Buffer (10×), add distilled or deionized water to adjust the volume to 1000 mL, and mix well.

### [Precautions]

1. The prepared electrophoresis solution should not be used for more than two weeks.
2. The recovered electrophoresis solution can be reused 1-2 times, but in order to obtain the best electrophoresis effect, the electrophoresis solution should be prepared for immediate use.
3. This product is only used for scientific research by professionals, for your safety and health, please wear a lab coat and disposable gloves.

### [Description Of Product Symbol]

Product Symbol	Description	Product Symbol	Description
	Catalog Number		Batch Code
	Date of Manufacture		Manufacturer
	Keep away from light		Temperature limit
	Consult instructions for use		Use-by date

### [Instruction Revision Date]

April 23, 2024

**[Company Information]**

**Manufacturer and after-sales service unit Name:** Shenzhen Dakewe Bio-engineering Co., Ltd.

**Website:** [www.dakewe.com](http://www.dakewe.com)

**Telephone:** (86-755) 86235300

**Email:** [RD@dakewe.com](mailto:RD@dakewe.com)

**Address:** Room 702-703, Building No.1, Shenzhen Biomedicine Innovations Industrial Park,  
No.14 Jinhui Road, Kengzi Street, Pingshan District, Shenzhen, China

**After-sales service telephone:** (86-755) 86235300

**Zip Code:** 518122